

WEST**Freeform Search****Database:**

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:
Display: **Documents in Display Format:** **Starting with Number**
Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Help

Logout

Interrupt

Main Menu

Show 8 Numbers

Edit 8 Numbers

Preferences

Cases

Search History
DATE: Friday, December 12, 2003 [Printable Copy](#) [Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

| | | | |
|------------|--|-----|------------|
| <u>L67</u> | L32 and time adj slot | 3 | <u>L67</u> |
| <u>L66</u> | L64 and power adj measurement | 0 | <u>L66</u> |
| <u>L65</u> | L64 and measure adj power | 0 | <u>L65</u> |
| <u>L64</u> | identify adj mobile adj station and time adj slot and assigned adj channel | 6 | <u>L64</u> |
| <u>L63</u> | L61 and power adj measurement | 2 | <u>L63</u> |
| <u>L62</u> | L61 and measure adj power | 0 | <u>L62</u> |
| <u>L61</u> | L59 and three | 26 | <u>L61</u> |
| <u>L60</u> | L59 and three adj point | 0 | <u>L60</u> |
| <u>L59</u> | L58 and mobile and base adj station | 27 | <u>L59</u> |
| <u>L58</u> | positioning adj technique | 619 | <u>L58</u> |
| <u>L57</u> | three adj point adj positioning adj technique | 0 | <u>L57</u> |

| | | | |
|------------|---|-----|------------|
| <u>L56</u> | three adj point positioning and mobile and base adj station | 0 | <u>L56</u> |
| <u>L55</u> | L8 and three adj point | 0 | <u>L55</u> |
| <u>L54</u> | identify adj mobile and base adj station and time adj slot and channel | 140 | <u>L54</u> |
| <u>L53</u> | L52 and identify adj mobile | 0 | <u>L53</u> |
| <u>L52</u> | L51 | 1 | <u>L52</u> |
| <u>L51</u> | L50 and power adj values | 1 | <u>L51</u> |
| <u>L50</u> | L49 and maximum adj power | 1 | <u>L50</u> |
| <u>L49</u> | L48 and base adj station | 1 | <u>L49</u> |
| <u>L48</u> | L47 and mobile | 1 | <u>L48</u> |
| <u>L47</u> | maximum adj power adj value and plurality adj power adj values | 3 | <u>L47</u> |
| <u>L46</u> | L45 and measure adj power | 0 | <u>L46</u> |
| <u>L45</u> | plurality adj RF adj receivers and mobile and TDMA | 1 | <u>L45</u> |
| <u>L44</u> | L43 and pages | 2 | <u>L44</u> |
| <u>L43</u> | L42 and TDMA | 6 | <u>L43</u> |
| <u>L42</u> | power adj measurement and response adj signal and mobile and base adj station | 11 | <u>L42</u> |
| <u>L41</u> | L38 and mobile | 0 | <u>L41</u> |
| <u>L40</u> | L38 and mobile | 0 | <u>L40</u> |
| <u>L39</u> | L38 and mobile and base adj station | 0 | <u>L39</u> |
| <u>L38</u> | three adj point adj positioning | 53 | <u>L38</u> |
| <u>L37</u> | plurality adj power adj values and mobile and base adj stations | 2 | <u>L37</u> |
| <u>L36</u> | plurality adj power adj values and mobile and plurality adj base adj stations | 1 | <u>L36</u> |
| <u>L35</u> | L34 and TDMA | 0 | <u>L35</u> |
| <u>L34</u> | L33 and base adj stations | 1 | <u>L34</u> |
| <u>L33</u> | power adj values adj generated adj mobile | 1 | <u>L33</u> |
| <u>L32</u> | L31 and controller | 3 | <u>L32</u> |
| <u>L31</u> | L29 and base adj station | 3 | <u>L31</u> |
| <u>L30</u> | L29 and base adj station | 3 | <u>L30</u> |
| <u>L29</u> | L24 and plurality adj cells | 3 | <u>L29</u> |
| <u>L28</u> | L24 and plurality adj base adj stations | 3 | <u>L28</u> |
| <u>L27</u> | L24 and multiple adj base adj stations | 1 | <u>L27</u> |
| <u>L26</u> | L24 and base adj station | 21 | <u>L26</u> |
| <u>L25</u> | L24 and cell adj stations | 1 | <u>L25</u> |
| <u>L24</u> | measure adj power and detectors and mobile and time adj slot and channel | 33 | <u>L24</u> |
| <u>L23</u> | 342/450.ccls | 0 | <u>L23</u> |
| <u>L22</u> | L21 and detectors | 0 | <u>L22</u> |
| <u>L21</u> | L20 and time adj slot and channel | 2 | <u>L21</u> |

| | | | |
|------------|--|------|------------|
| <u>L20</u> | L19 and mobile and TDMA | 2 | <u>L20</u> |
| <u>L19</u> | L18 and plurality adj base adj station | 4 | <u>L19</u> |
| <u>L18</u> | base adj station adj measure adj power | 24 | <u>L18</u> |
| <u>L17</u> | L15 and power | 0 | <u>L17</u> |
| <u>L16</u> | L15 and measure adj power | 0 | <u>L16</u> |
| <u>L15</u> | L14 and plurality adj base adj stations | 1 | <u>L15</u> |
| <u>L14</u> | L13 and mobile | 8 | <u>L14</u> |
| <u>L13</u> | predetermined adj time adj slot and predetermined adj channel | 39 | <u>L13</u> |
| <u>L12</u> | predefined adj time adj slot and predefined adj channel and mobile | 0 | <u>L12</u> |
| <u>L11</u> | L8 and time adj slot and channel | 3 | <u>L11</u> |
| <u>L10</u> | L7 and time adj slot and channel | 16 | <u>L10</u> |
| <u>L9</u> | L7 and time-slot and channel | 0 | <u>L9</u> |
| <u>L8</u> | L7 and power adj values | 3 | <u>L8</u> |
| <u>L7</u> | L6 and TDMA | 24 | <u>L7</u> |
| <u>L6</u> | L5 and measure adj power | 49 | <u>L6</u> |
| <u>L5</u> | L4 and mobile | 2382 | <u>L5</u> |
| <u>L4</u> | plurality adj base adj stations | 2670 | <u>L4</u> |
| <u>L3</u> | TDMA and mobile and plurality adj basea adj stations | 0 | <u>L3</u> |
| <u>L2</u> | L1 and TDMA | 0 | <u>L2</u> |
| <u>L1</u> | measure adj power and plurality adj power adj detectors | 1 | <u>L1</u> |

END OF SEARCH HISTORY